

**COMPANY
PROFILE**



STEELINES ZAMBIA

BEST QUALITY GUARANTEED

Celebrating over 20 years of excellence since 2003.

WWW.STEELINESZAMBIA.COM

WELCOME TO OUR PROFILE

This document provides an overview of our operations, values, and product offerings in the steel manufacturing industry. Explore our company history, commitment to quality and sustainability, and future initiatives that highlight our leadership in the Zambian market.

Welcome to Steel Lines Zambia's Company Profile, a comprehensive overview of our commitment to the steel industry and our journey to becoming a trusted supplier of premium steel products in Zambia. The steel industry plays a vital role in driving infrastructure, innovation, and economic growth, from the building sector to mining and agriculture. Our dedication to this field is reflected in the quality and reliability of our products and services.

Steel Lines Zambia operates across four key product sectors: fencing solutions, reinforcement materials, general steel supplies, and industrial steel tools. Each product line has been tailored to support various sectors, ensuring durability, safety, and efficiency across all applications.

As you explore our profile, you'll see our dedication to supplying only the highest quality steel products that meet both local and international standards. Contact us today to discover how Steel Lines Zambia can meet your steel needs.



TABLE OF CONTENT

01 Company Overview

02 Product Range

03 Construction Products

04 Fencing Items

05 Security Appliances

06 General Items

“Using low-quality steel products can lead to significant structural issues, with studies showing that nearly 40% of building failures are attributed to inferior materials, including steel. This can result in costly repairs, safety hazards, and in some cases, complete building collapse.”

The background of the entire page is a black and white photograph of a steel rebar grid, showing the intersecting lines of the reinforcement material. A solid blue curved shape is positioned in the bottom right corner, partially overlapping the rebar image.

INTRODUCTION


"Inefficient construction processes can lead to significant delays, with studies showing that nearly 30% of projects exceed their budget due to poor-quality materials. Using reliable products is crucial to avoid costly repairs and ensure long-lasting durability."

Steel Lines Zambia, a key player in Zambia's steel industry, has built a reputation for quality and innovation since its establishment. Founded with the aim of providing reliable steel solutions, Steel Lines Zambia has expanded its offerings to meet the diverse needs of industries including construction, mining, and agriculture. The company has achieved milestones in delivering high-grade steel products such as fencing solutions, reinforcement materials, and general steel supplies, all tailored to enhance infrastructure development across the nation. Through dedication to quality and local partnerships, Steel Lines Zambia stands as a trusted leader in shaping Zambia's industrial landscape.

ABOUT OUR COMPANY

"Steelines Zambia is a leading manufacturer and supplier of high-quality steel products, committed to supporting the construction and infrastructure sectors in Zambia. With a diverse product range that includes construction materials, fencing solutions, and security appliances, we pride ourselves on delivering durable and reliable solutions tailored to meet the needs of our clients. Our dedication to quality, innovation, and sustainability drives us to exceed industry standards, ensuring that every project benefits from our expertise and commitment to excellence.

Steel Lines Zambia has cultivated strong relationships with a wide array of clients, including international mining corporations and major construction firms, demonstrating a commitment to customer satisfaction and reliability. Ensuring that every project benefits from our expertise and commitment to excellence.




Steel Lines Zambia offers a comprehensive selection of premium steel products tailored for all construction needs. Designed for strength and longevity, our products meet the highest

CONSTRUCTION

CONSTRUCTION



Choosing substandard building materials can lead to costly structural failures putting lives and investments at risk. At Steel Lines Zambia, we understand the critical role of quality steel in construction.



Our construction products range from Reinforcements Mesh
Conforce Wire S257 5.0mm Heavy Duty,
S100 3.0mm & 4.0 mm,
Economy Range C100 3.0mm & 4.0 mm
Brick Force 4 inch & 6 inch .

Steel Lines Zambia offers a comprehensive selection of premium steel products tailored for all construction needs. Designed for strength and longevity, our products meet the highest industry needs.

REINFORCEMENT WELDED MESH



Available with ribbed wire and deformed bars 5.0mm, 8mm, 10mm, and 12mm. Customizable. Any spacing (Box Size) from 50mm to 300mm other sizes and configuration can be produced upon request.

code	Height	Pitch	Diameter	Length
mesh S395	2.4	200 x 200	8mm	6mt
mesh S617	2.4	200 x 200	10mm	6mt
mesh S888	2.4	200 x 200	12mm	6mt

Reinforcement welded mesh is a steel grid created by spot-welding high-tensile wires at intersections, offering durability and support for concrete structures.

CONFORCE



South African Standard

Code	Height	Pitch	Diameter	Length
Conforce 86	2.4	150 x 150	3.5 x 3.5	60mt
Conforce 257	2.4	150 x 150	5.0 x 5.0	60mt
Conforce 100	2.4	200 x 200	4.0 x 4.0	60mt
Conforce 193	2.4	200 x 200	5.0 x 5.0	60mt

Economy Range

Code	Height	Pitch	Diameter	Length
Z86-35	2.4	230 x 265	2.1 x 2.1	35mt
Z86-40	2.4	230 x 265	2.1 x 2.1	40mt
Z86-45	2.4	230 x 265	2.1 x 2.1	45mt
C86 - 40 Crosslays	2.4	450 x 450	2.0 x 2.0	40mt
C86 - 50 Crosslays	2.4	450 x 450	2.0 x 2.0	50mt
S100 Economy	2.4	230 x 235	3.0 x 3.0	48mt
S100 Standard	2.4	230 x 220	4.0 x 4.0	48mt

Conforce wire is a ribbed, high-strength reinforcement product used in concrete structures to improve bonding and structural stability. It's ideal for slabs, columns, walls, and heavy-load structures, as it distributes stress effectively, enhancing the durability and lifespan of concrete applications.

BRICK FORCE



The use of brick force is a very simple and cost-effective way of greatly enhancing the strength and durability of block-work construction by providing both structural and crack control benefits. It ties the wall together thus providing stability. Brick force strengthens the wall. If you are building on unstable ground (i.e. there is movement in the ground) it is always good practice to use brick force thus ensuring a very stable wall.

Steellines Zambia can manufacture a wide variety of Brick force for 4", 6" or blocks. Ranging from:


Wire Diameters: 1.6 mm to 1.8mm

Size: 4 inch, 6 inch
Length 10 mt & 15 mt

Brickforce is used as a support structure for brick laying.

Steel Lines Zambia offers Brick Force, a reinforcement mesh designed to strengthen brickwork. It helps prevent cracking in walls and ensures long-lasting stability. Available in various sizes, it's perfect for all types of masonry projects.

BRICK FORCE



Brick Force Wire is a reinforcement solution designed to enhance the durability and structural integrity of masonry projects. By minimizing the risk of cracking and providing additional support, it ensures walls remain stable and long-lasting.



Steel Lines Zambia provides high-quality fencing for a range of needs, including game reserves, industrial sites, and residential areas. With products like Bazooka Game Fence and Diamond Mesh, we ensure durable, reliable security for every property. Contact us for your fencing solutions today!

FENCING

DIAMOND MESH



Green Diamond Mesh

Diamond Mesh

Green Diamond Mesh

Wire Diameter: 1.6mm

	Height	Box Size	Wire Diameter			
DM122/50/1.6	1.2 mt	50	1.6mm	30mt	ϕ	22.0
DM180/50/1.6	1.8 mt	50	1.6mm	30mt	ϕ	31.0
DM122/75/1.6	1.2 mt	75	1.6mm	30mt	ϕ	19.0
DM180/75/1.6	1.8 mt	75	1.6mm	30mt	ϕ	24.0



Copper Diamond Mesh

Copper Diamond Mesh

Wire Diameter: 2.0mm

	Height	Box Size	Wire Diameter		Length	
DM122/50/2	1.2 mt	50	2.0mm	30mt	ϕ	35.0
DM180/50/2	1.8 mt	50	2.0mm	30mt	ϕ	53.0
DM122/75/2	1.2 mt	75	2.0mm	30mt	ϕ	26.0
DM180/75/2	1.8 mt	75	2.0mm	30mt	ϕ	38.0
DM122/100/2	1.2 mt	100	2.0mm	30mt	ϕ	21.0
DM180/100/2	1.8 mt	100	2.0mm	30mt	ϕ	30.0

PLATINUM DIAMOND MESH



Gold Diamond Mesh

Gold Diamond Mesh

Wire Diameter: 3.0mm

	Height	Box Size	Wire Diameter	Length		
DM122/50/3.0	1.2 mt	50	3.0mm	30mt	↺	78.0
DM180/50/3.0	1.8 mt	50	3.0mm	30mt	↺	117.0
DM200/50/3.0	2.0 mt	50	3.0mm	30mt	↺	130.0
DM240/50/3.0	2.4 mt	50	3.0mm	30mt	↺	166.0
DM122/75/3.0	1.2 mt	75	3.0mm	30mt	↺	57.0
DM180/75/3.0	1.8 mt	75	3.0mm	30mt	↺	85.0
DM200/75/3.0	2.0 mt	75	3.0mm	30mt	↺	95.0
DM240/75/3.0	2.4 mt	75	3.0mm	30mt	↺	134.0



Silver Diamond Mesh

Silver Diamond Mesh

Wire Diameter: 2.5mm

	Height	Box Size	Wire Diameter	Length		
DM122/50/2.5	1.2 mt	50	2.5mm	30mt	↺	57.0
DM180/50/2.5	1.8 mt	50	2.5mm	30mt	↺	86.0
DM122/75/2.5	1.2 mt	75	2.5mm	30mt	↺	38.0
DM180/75/2.5	1.8 mt	75	2.5mm	30mt	↺	55.0
DM240/75/2.5	2.4mt	75	2.5mm	30mt	↺	74.0

BAZOOKA GAME FENCE



BAZOOKA Game Fence

(All Lines Wires: 2.0mm High tensile and or Soft Galvanized Wire)

BGF 122/150/7/2.0	122	150	7	100mt	2.0	⌘	43.0
BGF 122/300/7/2.0	122	300	7	100mt	2.0	⌘	32.0

BGF 152/150/11/2.0	152	150	11	100mt	2.0	⌘	60.0
BGF 152/300/11/2.0	152	300	11	100mt	2.0	⌘	45.0

BGF 180/150/10/2.0	180	150	10	100mt	2.0	⌘	60.0
BGF 180/300/10/2.0	180	300	10	100mt	2.0	⌘	45.0

| BLAST MESH

4.0MM WIRE

15MT LENGTH

PLATINUM DIAMOND MESH



Platinum Diamond Mesh

Wire Diameter: 4.0mm

	Height	Box Size	Wire Diameter	Length	
DM122/50/4.0	1.2 mt	50	4.0mm	15mt	69.0
DM180/50/4.0	1.8 mt	50	4.0mm	15mt	103.0
DM200/50/4.0	2.0 mt	50	4.0mm	15mt	115.0
DM240/50/4.0	2.4 mt	50	4.0mm	15mt	138.0
DM122/75/4.0	1.2 mt	75	4.0mm	15mt	50.0
DM180/75/4.0	1.8 mt	75	4.0mm	15mt	75.0
DM200/75/4.0	2.0 mt	75	4.0mm	15mt	84.0
DM240/75/4.0	2.4 mt	75	4.0mm	15mt	100.0
DM180/100/4.0	1.8 mt	100	4.0mm	15mt	61.0
DM240/100/4.0	2.4 mt	100	4.0mm	15mt	82.0

STEELLINE GAME FENCE



GAME FENCE

HEIGHT	PITCH	LINE WIRE	LENGTH	COILS
1.2	300	7	15	25

GAME FENCE

HEIGHT	PITCH	LINE WIRE	LENGTH	COILS
1.2	300	7	15	25

Steel lines

GAME FENCE

HEIGHT	PITCH	LINE WIRE	LENGTH	COILS
1.2	300	7	15	25

Game fence has many names. It is known as veldspan, wire fence, box wire, farm fence and animal fence. However, no matter what you call it, game fence refers to a tall, high tensile, extremely strong perimeter barrier.




Code	Height	Pitch	LW	Length	Cross wire
GF122/150/7/2	122	150	7	100mt	2.0
GF122/300/7/2	122	300	7	100mt	2.0
GF152/150/11/2	152	150	11	100mt	2.0
GF152/300/11/2	152	300	11	100mt	2.0

With over 52 different types of game fence made at Steel Lines Zambia, a farmer ,game rancher or a house owner can rely on game fence, when installed properly, to create a perfect enclosure to keep or trespassers out, or farm animals such as cows or goats contained.



Code	Height	Pitch	LW	Length	Cross wire
180/150/10/2.5	180	150	10	100mt	2.5
180/300/10/2.5	180	300	10	100mt	2.5
205/150/13/2.5	205	150	12	100mt	2.5
205/300/13/2.5	205	300	12	100mt	2.5

At home game fence works to protect your flower and vegetable gardens from your neighbors hungry livestock. Choosing the right game fencing can be complicated, but it doesn't have to be. At Steel Lines Zambia, we have a team of experts ready to help you with the process.

The background of the entire page is a close-up photograph of large, tightly wound rolls of corrugated metal. The metal has a dark, weathered appearance with visible ridges and valleys. A small, bright red tag is attached to one of the rolls in the center-left area. The lighting creates strong highlights and shadows, emphasizing the texture of the metal.

At Steel Lines Zambia, we provide top-tier security appliances designed to safeguard your home and business. Our products offer unmatched reliability, giving you the peace of mind that comes with superior protection

**SECURITY
APPLIANCE**

RAZOR WIRE


Using poor-quality security appliances risks lives and property. At Steel Lines Zambia, we offer reliable, high-quality security solutions to ensure safety and peace of mind.



CONCERTINA -10 MT



CONCERTINA -5 MT



FLAT WRAP - 15 MT

Code	Specifications	Diameter	length		
Flat Wrap **Standard**	Wire Dia: 2.24mm High Tensile Galvanized	450mm	15mts	h	5.0
Flat Wrap **Standard**	Wire Dia: 2.24mm High Tensile Galvanized	750mm	15mts	h	6.5
Concertina **Standard**	Wire Dia: 2.24mm High Tensile Galvanized (3 Clip Points)	450mm	max: 5mts	h	3.0
Concertina **Standard**	Wire Dia: 2.24mm High Tensile Galvanized (3 Clip Points)	450mm	max: 10mts	h	5.0
Concertina **Standard**	Wire Dia: 2.24mm High Tensile Galvanized (3 Clip Points)	750mm	max: 15mts	h	11.0

BARBED WIRE



Barbed Wire

	Specifications	Diameter	Length(length Range From 200mt to 600mt)
Barbed Wire 1.6mm Double Strand	Galvanized, Tight Wrapped	1.6mm	200mt to 600mt
Barbed Wire 2.0mm Double Strand	Galvanized, Tight Wrapped	2.0mm	200mt to 600mt

Barbed Wire fences had been used traditionally by farmers to keep livestock in and away from their crops. Major Cattle ranches in Namwala and Mkushi, uses Barbed Wire as a suitable material for fencing.

The advantages of galvanized barbed wire fencing is that it is almost imperishable, it has no burden on the posts and does not oppose the wind. It is economical, not only in price but also in the amount of land it can cover by it.



The principal idea for farmers using barbed wire fencing was its low cost and ease of sectioning large tracts of land quickly and effectively. Those who saw the benefits of barbed wire fencing, were in a unique position in the cattle market.

GALVANISED WELD MESH



Galvanized Weld Mesh

Code	Height	Pitch	Diameter	Length		
GWM 1.2/5/50x50	1.2	50 x 50	1.6 x 1.6	5mt	⌀	4.0
GWM 1.2/5/50x50	1.2	50 x 50	1.6 x 1.6	10mt	⌀	8.0
GWM 1.2/5/50x50	1.2	50 x 50	1.6 x 1.6	15mt	⌀	12.0
GWM 1.2/5/50x25	1.2	50 x 25	1.6 x 1.6	5mt	⌀	6.0
GWM 1.2/5/100x20	1.2	100 x 20	1.6 x 1.6	5mt	⌀	6.0
GWM 1.2/5/50x50	1.2	50 x 50	2.5 x 2.5	5mt	⌀	9.0
GWM 1.2/10/50x50	1.2	50 x 50	2.5 x 2.5	10mt	⌀	18.0
GWM 1.2/5/100x20	1.2	100 x 20	2.5 x 2.5	5mt	⌀	14.0
GWM 1.2/5/100x50	1.2	100 x 50	2.5 x 2.5	5mt	⌀	7.5

HARD DRAWN WELD MESH



Weld Mesh

Hard Drawn Weld Mesh

Code	Height	Pitch	Diameter	Length	
GWM 1.2/2.4/50x50	1.2	50 x 50	4.0 x 4.0	2.4mt	11.0
GWM 1.2/2.4/100x100	1.2	100 x 100	4.0 x 4.0	2.4mt	7.0

welded mesh is an incredibly versatile and durable material! It's perfect for constructing animal cages providing a sturdy and secure environment for various species. Beyond that, it's widely used in river dams offering effective erosion control and supporting structural integrity in water management projects.


This mesh can even be applied to landscape design, retaining walls, and protective barriers. s.



Steel Lines Zambia offers essential construction materials, including window putty, hard-drawn welding mesh sheets, and gabion steel. These products are designed for various building and industrial applications, providing strength, durability, and versatility for projects ranging from window installations to large-scale construction and earth retention systems.

GENERAL ITEMS

GENERAL ITEMS



Steel Lines Zambia provides versatile general-purpose items like window putty for sealing and glazing, hard-drawn welded mesh for reinforced structures, and gabion steel for erosion control and landscaping. These products are designed to meet a range of construction needs, offering durability and reliability across various projects.

CONTACT US



Plot 30081 off Katanga road, Industrial area, Lusaka Zambia.

Plot 5408, Warehouse No 1, Natwange road, heavy industrial area, Kitwe Zambia.



WWW.STEELINESZAMBIA.COM



077 007 0002

0779 654 000

THANK YOU
FOR YOUR VEIW